## ST. TAMMANY FIRE PRO TECTION DISTRICT # 1 1358 Corporate Square Drive Slidell, LA 70458 (985)649-3665 Fire Chief ±David Kuhn

For Immediate Release

December 222013

Date of Incident December 21, 2013

Mobile Home Fire Claims the Life of an Elderly Man

Slidell, LA. ±St. Tammany Fire District #1 responded to the report of a residential structure fire at 37432 E. Hillcrest Dr. in Slidell with a possible occupant trapped inside. Firefighters arrived on the scene illess than four minutes to find heavy flames and smoke coming from a mobile home. Firefighters were alerted by an occupant that a roommate was trapped inside. Firefighters made an immediately rescue attempt, however the victim had already pefisiteighters were able to extinguish the fire in eight minutes and bring the situation under control.

A neighbor saw smoke coming from a bedroom window **arender** the otheoccupant who was outside at the time ancalled 911 from a cell phone. The 72@ some foot mobile home suffered heavy fire damage to one bedroom. The remainder of the home suffered heavy smoke and heat damage.

St. Tammany Fire District #1 investigators were assisted by a State Fire Marshal investigator in determining the cause of the. Thefire is believed to have started from a cigarettee YLFWLP¶V QDPH LV QRW EHLQJ UHOHDVHG XQWLO WKH QH[V]

1<sup>st</sup> Alarm: 16:27:58 On Scene: 16:31:06 Under Control: 16:39:20 Units: 12 Firefighters: 22 Fatalities: 1 CauseCigarette

For more information about St. Tammany Fire Protection District #1usisatt <u>www.slidellfire.org</u>or follow uson <u>Facebook</u> St. Tammay Fire District #1and<u>Twitter</u> -@SlidellFire\_PIO

Chad Duffaut Chief of Fire Prevention/PIO cduffaut@slidellfire.org Cell: (985)960-0976